

GRAMICID: MULTICOMPONENT BIOCIDE

PRODUCT DESCRIPTION:

GRAMICID is a complex formulation of processed Silver, a noble metal and highly concentrated Hydrogen Peroxide. The Hydrogen Peroxide component ensures a rapid germ killing effect and the silver component ensures that the effect is long-lasting. Silver is well known for its oligo -dynamic action (cold sterilization). The effect of the two components is multiplied by a special manufacturing process of GRAMICID giving a synergistic effect.

The germ killing effect of *GRAMICID* is rapid and thorough, even from low to high temperatures. *GRAMICID* generates neither smell nor taste, has no toxic effect, does not effect the pH value and causes no corrosion. *GRAMICID* when used as per the guidelines causes no irritation to the eyes. skin or mucous membranes. *GRAMICID* is nonpolluting. Its main component Hydrogen Peroxide does not pollute the effluent, as only Oxygen and water are formed. H₂O₂ \rightarrow H₂O + O (nascent form). In other words, no harmful by-products are produced when it decomposes. The silver level is well below 180 micrograms / person / day permitted by W.H.O. Therefore it is safe for both human as well as animal life.

SALIENT FEATURES:

- Totally Chlorine free.
- Can be used universally.
- Rapid sterilization.
- No alteration to taste of food / substance.
- Non-pollutant and bio-degradable.
- Non-carcinogenic and non-mutagenic.
- Good stability in storage.
- LD50 value is greater than 2854 mg/kg of animal weight.
- Odourless.

- Remains effective even at high Temperatures.
- Excellent Industrial Biocide.
- Non-staining.
- Non-inflammable.
- Does not change pH.
- Long lasting effect.
- No toxic effect reported.
- No resistance developed.
- Effective over a wide pH range.

GRG ENVIRO SOUND SOLUTIONS PVT LTD.,



"Vishnulaya", # 61, 4th Street, Padmanabha Nagar, Adyar, Chennai-600 020: **Website**: www.grgenviro.com
Tel. 2441 2997, 5218 7111/7177, 5211 7011 Fax. 91-44- 2446 3770
Email:info@grgenviro.com; grgenviro@yahoo.co.in,

The World is a Dangerous Place to live without GRAMICID



RANGE OF APPLICATION OF GRAMICID:

GRAMICID has a very wide range of application and can be used wherever halogens, aldehydes, phenols, quats are being used. Additionally, it can be used in cases where halogenous substances have previously been feared to add their peculiar flavour, change in taste and the formation of chemical compounds with the basic elements amongst others. *GRAMICID* has been found very effective.

The following are the most common applications for disinfectant effect in :

DRINKING WATER:

- All Drinking & bathing water
- Well water
- Emergency Water Rations

ANIMAL FARMS:

- Poultry Farms
- Cattle Farms
- Fish Docks, Sweet Water Fish Farms
- Horse Stables
- Zoo

HOSPITALS / CLINIC :

- Sterilization of Surgical Instruments
- Sterilization of Linen, etc.
- Disinfection of wall & floor
- Diagnostic & Research Labs., Operation Theatre, Sterile Rooms and Dispensaries.
- Blood Banks.
- III IAQ (Indoor Air Quality).
- m Dental Products / Mouth Wash.

AGRICULTURE :

- Wegetables and Fruits preservation.
- Prevents spoilage of Fruits, vegetables Flowers & Stems.
- No symptoms of Aspergillus & Sclerotium.
- III Gramicid increases shelf life of fruits & vegetables.

THE FOOD & BEVERAGE INDUSTRY:

- Breweries
- Canneries
- Distilleries & Wineries
- Bottling Plants
- Food Preservation
- Fish & Meat Processing
- Bakeries
- Essence Manufacturers
- Mineral Water/packaged drinking water

SWIMMING POOLS & WATER PARKS:

- Public Swimming Pools.
- Thermal Baths.
- Sauna Pools, Indoor / Outdoor Pools.

PHARMACEUTICAL:

- Formulations, Liquids, Ointments, Tablets.
- Bulk Drugs, Fermentation.
- Parenteral Preparations.

DAIRIES :

- Cheese Production.
- Ice Cream Manufacturing.
- Retail Milk Sales.
- Milk Packing Units.



RECOMMENDED DOSAGES FOR GRAMICID

SUBSTANCE BIOCIDE :

Drinking Water	10-25 mg/1 lt.	ppm
Packaged drinking water	10-25 mg/1 lt.	ppm A B A B A
Public Swimming	10-50 mg/1 lt.	ppm
Water Parks	20-50 mg/1 lt.	ppm
Beverage Industry	10-20 mg/1 lt.	ppm
Aerosol Products	05-20 mg/1 lt.	ppm
Aquariums, Sweet Water Fish Farm	10-25 mg/1 lt.	ppm
As additives in Washing-up	20-25 mg/1 lt.	ppm OMAM ROS
Liquids, Cleaning Agents,		
Refrigerator Cleaning Agents	10-20 mg/1 lt.	ppm
Cooling towers / Heat Exchangers / Air Humidifiers	10-30 mg/1 lt.	ppm
Waste Water	50-100 mg/1 lt.	ppm
Cyanide Detoxification (per ppm of cynide)	4-6 mg/1 lt.	ppm
Sulphide Detoxification (per ppm of sulphide)	3-5 mg/1 lt.	ppm
Later to the second		

SURFACE BIOCIDE :

Equipment in food & Beverages industry	0.1 - 0.5 %
Beverages Industry, Bottle Washing, Jar, Cap etc	0.1 - 0.5 %
Cisterns, Pipe, Wells	0.2 - 1.0 %
Smooth Surfaces (Walls & Floors)	0.5 - 1.0 %
Laundry Sterilization	200 ppm to 500 ppm
Filter sterilization (Incl. Reverse Osmosis Filter)	0.1 - 0.5 %
Baskets Storage areas, Conveyor Belts Protective	0.5 - 1 %
Clothing, Surgical Instruments, Tubes Tec.	0.5 - 1 %
Indoor Air Quality(As spray Fumigation)	2-5%
Post Harvest Preservation	0.1 - 0.5 %
Filtration Plants	0.1 - 0.2 %
Vegetables washing	200 ppm to 500 ppm
Transport Containers / vehicles	0.5 - 1 %
Air conditioning (Filters. humidifiers, ventilating shafts)	0.1 - 0.5 %



AS A SPRAY FUMIGANT / IAQ (INDOOR AIR QUALITY):

e.g. Use 30 ml of Gramicid with 970 ml. of water for approx. 1500 Cu. Ft. area. The room is ready in just thirty to sixty minutes time (using ultra low volume sprayer).

FOR HAND DISINFECTION:

Make 0.1% solution of Gramicid, dip hand in a solution or moisture. Do not wash. Germs are removed & killed as soon as hand dries up.

FOR DISPOSING CONTAMINATED MEDICAL WASTES:

Make 0.5 - 1 % solution of Gramicid. The solution formed can be filled in a large vessel / container wherein all disposable surgical instruments, syringes, blood bags, bottles, catheters, etc. can be disinfected and made ready for disposal. Cotton wastes, wound dressing and similar items can be disinfected by spraying. Gramicid can be used for several other applications in hospitals.

DOSING IS ALSO DEPENDENT ON FOLLOWING PARAMETERS:

- Initial bacterial count
- Contact Time
- PH of the liquid
- Temperature
- Material & nature of the surface (in case of surface disinfection)
- Thoroughness of cleaning
- III Presence of organic matter



ADVANTAGES :

BIOCIDAL EFFECT

Gramicid possesses a very broad spectrum of biocidal activity.

It is highly effective on:

- Bacteria like species of Escherichia Coli, Mycobacterium tuberculae, Klebsiella
 Pneumonia, Enterobacter, Salmonella, Shigella, Pseudomonas, Achromobacter, Bacillus,
 Staphylococcus, Streptococcus, Diplococcus, Clostridium, Vibrio, Meningococci,
 Corynebacterium, Desulfovibrio, Proteus Mirabilis and spores.
- Ligeonella Pneumophila.
- Bacillus Anthracis (being used as a means of biological weapons).
- Yeasts & Fungi like species of saccharomyces, Candida, Penicillium, Asperigillus, Rhizopus,
 Mucor, Cladosporium etc.
- Virus like AIDS (HIV), Herpes, Hepatitis B, Infantile Paralysis (Polio), Bateriophages,
 Influenza, Newcastle's Disease, Vaccine-Viruses, FMDV (Cattle Virus)
- Poultry Virus :- NDV, IBDV, IBHV, etc.
- Blue-Green Algae and Green Algae.
- Protozoa like Entamoeba Histolytica.
- The Larvaecidal effect of Gramicid will help in mosquito control and hence vector control.
- It acts as a powerful Deodorant.
- It acts as a Biocorrosion preventive.
- Effective over a wide pH range.
- Gramicid is non foaming.
- Gramicid can destroy Biofilms within which microorganism are trapped. Gramicid uses nascent Oxygen to destroy the Biofilms & follows it up with Silver which destroys the microorganisms within the biofilms. This double action makes GRAMICID far more powerful.



TECHNICAL DATA:

State of aggregation: Liquid

Colour : Clear as water

Odour : Odourless

Taste : When diluted it is tasteless

Weight : 1.160 kg/dm³ (at 35°C)

Boiling Point : 114.0°C at 1013 mbar

53.5°C at 80 mbar 41.0°C at 40 mbar

Freezing Point : - 50°C

pH-Value : Gramicid has a pH-value of approx. 1.6 to 2. It does not alter the pH-value

of the treated water. It should be used in a pH range of 2 to 9, biocidal

action being most effective at pH 7.

Acid-value (SH) : The Soxhlet - Henkel acid value is the number of millimeters of 0.25

Sodium Hydroxide solution required to neutralize 100 ml. Of solution

using phenolphthalein as indicator (pH.8.3).

Concentration %		Acid Value (SH) Tap Water Distilled V	
0.25		0.11 Ineverg noteon	0.33
0.50		0.14 spress Ho sh	0.06
1.00		0.19	0.11

Surface Tension

: (Nouy Ring Method, 20°C)

Concentration	m N/m		
	70		
0.25%	72		
0.50%	71		
1.00%	71		

Bleaching

: When used in prescribed dosages and at a temperature of below 50°C, no bleaching should occur.



Foam Behaviour

Gramicid does not foam.

Discoloration

In the case of coating of paint or other lining materials commonly found for e.g. in swimming pools and storage tanks, preliminary tests should preferably be carried out at suitable sites.

Corrosive Property: The following material are corrosion resistant against Gramicid.

Fe, Cu, S. S., Aluminum 99.5 % (iron free), Chromium - nickel steel

ie.1.4301, 1.4401, Titanium, PP, PVC, PE.

Corrosion Study

: Concentration 1 % Duration 24 hr. Temperature 50°C

Material	Actual loss of weigh in mass g/M ² /24hr.	nt Permissible loss of wgt in mass g/M ² /24h
Aluminum 99.5	0.37	gnon/3 10
Anticorodal Tin plasted iron	0.53	30
Cr-Ni-Steel (18/8)	0.06	0.5

Toxicity

: Classified as "relatively harmless" according to IDRL, Pune

 $LD_{50} = > 2854 \text{ mg/kg}.$

Biodegradation

: Gramicid is not harmful to the environment. Its principal constituent, Hydrogen Peroxide, does not have any detrimental effect on waste water. as only water & oxygen are liberated, i.e. no harmful by-products occur as a result of decomposition.

Inflammability

: Gramicid is non-inflammable. However, spontaneous combustion may occur if it is placed in contact with cutton, wool, wood, straw, paper, oil, coal, textiles etc. such a contact should be avoided.

ECOFRIENDLY GRAMICID®

COMPARISION OF VARIOUS DISINFECTANT						
EVALUATION CRITERIA	QUATS	PHENOLS	ALDEHYDES	HALOGENS	GRAMICID.	
Spectrum of Activity	Gram pos. bacteria, fungi yeasts, sheathed viruses.	Gram pos. bacteria, Gram neg. bacteria, fungi, yeasts, sheathed viruses.	Gram pos. bacteria, Gram neg. bacteria, fungi, yeasts, spores sheathed & unsheathed viruses.	Gram pos. bacteria, Gram neg. bacteria, fungi, yeasts, spores sheathed viruses.	Gram pos. bacteria Gram neg. bacteria fungi, yeasts,spore sheathed & unsheathed viruses amoebae, protozoa biofilms.	
Gaps in Spectrum of Activity	Gram neg. bacteria, mycobacteria, spores, unsheathed viruses, amoebae, protozoa, biofilms.	Spores, unsheathed viruses, amoebae, protozoa, biofilms.	Amoebae, protozoa, biofilms.	Amoebae, protozoa, biofilms and unsheathed viruses		
Albumin Turbidity and decreased Frothing in contact with Beer	Strong	Not used, because of risk of alteration of colour and taste.	Not used, because of risk of alteration of colour and taste.	strong	None	
Reaction to water Hardness	Poor	Very Good	Good .	Good	Very Good	
Albumin Loading Capacity	Poor Add or pales	Very Good	Poor	Poor	Very Good	
Surface behaviour	Surface residue	Absorbed on rubber and plastic	High vapour pressure, loading of ambient air.	Surface residue	Very Good	
Odour sizew no	Odourless	Strong	Pungent	Strong	Odourless	
Tolerance to skin	Good immed on a l	Good in recommended concentration	irritant to skin and eyes, risk of sensitization	irritant to skin and eyes, toxic in gaseous form.	Very good in recommended concentration	
Carcinogenecity	None	Yes. proven	Yes. proven	Yes. (Chloroform)	None	
LD ₅₀ oral, rats	350-900 mg/kg	1830-3000 mg/kg	800-1700 mg/kg	10	Greater than 2854 mg/kg	
LD _{so} by inhalation			0.59 mg/l air		Greater than 59.9 mg/l	
General Stability after dilution	Only short-term, not reusable,	Only short-term, not reusable,	Only short-term, not reusable,	Only short-term, reusable under certain conditions.	Very Good reusable	
Stability to Temp.	Moderate	Poor	Poor	Very Poor	Very Good	
Biodegradability in Water Treatment Plants	90% after 5 days	100% after 3-7 days neutralization necessary.	Good, but neutralization necessary.	Very Poor neutralization necessary.	100% after 24 hours	
Universal Use	Limited	Limited	Limited	Moderate	Very Good	
Chilyersal Ose	Littleu	Limited	Lilited	Woderate	very Good	



TEST REPORTS:

MAKING TALL CLAIMS IS NOT OUR BUSINESS. THE REPORTS FROM VARIOUS REPUTED LABORATORIES SAY IT ALL.

- N. C. L. (National Chemical Laboratories), Pune.
- State Public Health Laboratory, Maharashtra Govt.
- Bombay Veterinary College, Parel, Mumbai.
- Municipal Corporation of Greater Bombay, By Municipal Analyst.
- Indian Drugs Research Laboratory, Pune.
- FDA approved.

(Our executive will be pleased to show you above certificate copies on your request.)

ECONOMICS:

GRAMICID can be compared with other biocides, disinfectant, antiseptic solution, available in the market and when compared, it is observed that Gramicid is almost **FIVE TIMES** more economical than most of the disinfectant that are commonly used, apart from its being far more effective.

PACKING :

30 Kg., 50 Kg. in vented carboy.

CONCLUSION:

GRAMICID is a powerful sterilizing agent, effective against bacteria, virus, fungi, algae and spores. What is more important is that **GRAMICID** is equally effective against bacterial species, which are normally resistant to other biocides.

In addition to its strong biocidal action, which is long lasting, Gramicid is also non - toxic, non - mutagenic, non - polluting, non - residual and an environmental friendly biocide. In fact, it is the biocide which is suitable for all industries.





SAFETY MANUAL:

- When working with GRAMICID protective goggles must be worn at all times. It is advisable
 to use rubber gloves, which after use can be rinsed with water.
- If spilled, GRAMICID must be washed away immediately with plenty of water, (Effluents)
 containing GRAMICID products entails no hazards for sewage system or ground water).
- GRAMICID is nonflammable. However, spontaneous combustion may occur, if it is placed
 in contact with oxidizable organic substances. Hence contact between Gramicid and cotton,
 wool, straw, paper, oil, coal, textiles, etc. should be avoided.
- In the case of coatings of paint or other lining materials commonly found, for example, in swimming pools and storage tanks, preliminary test should preferably be carried out as suitable sites.
- GRAMICID should only be stored in the original containers supplied by us, with the
 corresponding original seals. Gramicid removed from the container, may not under any
 circumstances, be returned to the container.
- Keep in a cool place with close lid.